

Molina Healthcare Service Authorization (SA) Form Tysabri ® (natalizumab)

If the following information is not complete, correct, or legible, the SA process can be delayed.

Please use one form per member.

MEMBER INFORMATION	
Last Name:	First Name:
Medicaid ID Number:	Date of Birth:
	Weight in Kilograms:
PRESCRIBER INFORMATION	
Last Name:	First Name:
NPI Number:	
Phone Number:	Fax Number:
DRUG INFORMATION	
Drug Name/Form:	
Strength:	
Dosing Frequency:	
Length of Therapy:	
Quantity per Day:	

MolinaHealthcare.com

(Form continued on next page.)

Men	nber's	Last N	lame	:					•		, , ,	Men	nber	's Fir	st Na	ame:							
DIA	GNOS	IS ANI	D ME	DIC	AL II	NFO	RM	ATIC	N							•							
For a	an initi	ial req	uest	for N	∕lulti	iple S	Scler	osis	, con	nplet	e t	he f	ollow	/ing	to re	ceive	e a 6	-mon	th a	ppro	val:		
1. I	s the n	nembe	er at l	east	18 y	ears	of a	ge?	AND)													
	Yes		No																				
		e mem i) or RE	-										mee	et the	e cor	nditic	ns o	fthe	TOU	CH (a	appli	cable	to
	Yes		No																				
3. [oes th	ne mer	mber	have	e a d	ocur	nent	ted n	egat	tive J	CV	anti	body	ELIS	A te	st wi	thin 1	the p	ast 6	mor	nths?	ANE)
		Yes _] No																				
		e requi		•				ised	in co	mbii	nat	ion v	with	antir	ieopl	lastic	, imr	nunc	supp	ress	ant, (or	
		Yes _	No																				
5. I	s the n	nembe	er imi	muno	ocon	npet	ent?	ANI)														
		Yes _] No																				
6. V	Will Ty:	sabri b	e use	ed as	a sii	ngle	ther	apy î	AN	D													
		Yes _] No																				
		ne mer (i.e., N				onfir	med	l dia	gnos	is of	mu	ıltipl	e scle	erosi	s (M	S) as	docı	ımen	ted l	oy lal	oorat	ory	
		Yes	No																				
		ne mer ary pr				_				_							_		_	S (RR	MS)*	ʻ, act	ive
		Yes	No																				
(Fori	n cont	inued	on ne	ext p	age.)																	

MolinaHealthcare.com

Me	mber's La	st Name	e:					N	Vlem	ber's	s Firs	st Naı	me:						
For	a renewa	l reques	st for I	Multipl	e Scle	rosis,	compl	ete	the f	ollov	wing	to re	ceive	a 12-n	nonth	аррі	roval	:	
	MULTIPLE	SCLERC	OSIS R	ENEWA	L REQ	UEST	<u>:</u>												
1.	Does the	membei	r conti	inue to	meet	the re	elevant	crit	eria	iden [.]	tified	d in th	ne init	ial crite	eria?	AND			
	Ye	s 🗌 No)																
2.	Does the	membei	r have	an abs	ence (of una	ccepta	ble	toxic	ity fr	rom	the d	rug? 🗗	AND					
	Ye	s 🗌 No)																
3.	Is the me	mber be	ing co	ntinuo	usly m	onito	red for	res	pons	se to	ther	ару іг	ndicat	es a be	enefic	ial re	spons	se?	
	Ye	s 🗌 No)																
For	an initial	request	for Cı	rohn's I	Diseas	se, coi	mplete	the	follo	owin	g qu	estio	ns to	receive	e a 6-ı	mont	h app	orov	al:
1.	Is the me	mber at	least :	18 year	s of ag	ge? Al	ND												
	Yes	☐ No)																
2.	Has the m		-							mee	t the	conc	ditions	of the	TOU	СН (а	pplic	able	to
	Yes	☐ No)																
3.	Does the	membei	r have	a docu	ment	ed ne	gative .	ICV a	antib	ody	ELIS	A test	t withi	n the p	oast 6	mon	iths?	AND)
	Ye	s 🗌 No)																
4.	Will the re					sed in	combi	nati	on w	ith a	ntin	eopla	ıstic, iı	mmun	osupp	ressa	ant, o	r	
	☐ Ye	s 🗌 No)																
5.	Is the me	mber im	muno	compe	tent?	AND													
	☐ Ye	s 🗌 No	1																
6.	Does the	membei	r have	moder	ate to	seve	re activ	∕e di	iseas	e? A	ND								
	Yes	☐ No	1																
7.	Has the p	hysician	has a	ssessed	base	line di	isease :	seve	rity	utiliz	ing a	ın obj	ective	meas	ure/to	ool; A	ND		
	Yes	☐ No)																
8.	Does the least 3 mg 6-mercap	onths, u	nless ι	use is co															or'
	Yes	☐ No)																
	(Form cor	ntinued	on nex	kt page	.)														

MolinaHealthcare.com

Me	mb	er's	Las	t Nan	ne:							-	Men	nber	's Fir	st Na	ame:							
	Do	ac +l		nomh	or ba		docu	mon	+04 +	trial :	and t		L	f +	nro	forre	ا	tokir		۲ (۷	Nan	t	nict	<u> </u>
9.				nemb Crohi											-		-			u CA	ivi ai	itago	mist	
		Yes			lo																			
10.	imr	nun	osı	ri be u uppres sease	ssant		_	_								-				_		_	l for	
		Yes			Ю																			
For	a re	ene	wal	requ	est fo	or Cro	hn's	Dise	ease,	con	plet	e t	he fo	llow	ing o	quest	ions	:						
	1.	Init	ial	renew	al or	ıly (6-	mon	th a	ppro	val):														
			a.	Has t		embe	er be	en t	aper	ed o	ff of	ora	ıl cor	ticos	tero	ids w	rithin	6 m	onth	s of s	tarti	ng Ty	/sabr	i?
				Y	es 🗌	No																		
			b.	abdo prese	line s mina ence	isease such a al pair of ext use of	is end n, pre tra in	dosc esen itest	opic ce of inal (activ abd comp	vity, omir olicat	nur nal tior	mber mass ns, ta	of lid boo perin	quid dy wo	stoo eight disc	ls, pr com	esen pare uati	ce ared to	nd se IBW, cort	verit hem icost	y of natoc eroic	rit,	
				Y	es 🗌	No																		
	2.	Suk	seo	quent	rene	wals ((12-n	nont	h ap	prov	al):													
			a.	Does to co		meml their			•				ster	oid u	ise th	nat e	xcee	ds 3	mont	ths ir	і а са	llend	ar ye	ar
				Y	es 🗌	No																		
			b.	abdo prese	line s mina ence	isease uch a Il pair of ext use of	is end n, pre tra in	dosc esen itest	opic ce of inal (activ abd comp	vity, omir olicat	nur nal tior	nber mass ns, ta	of lid boo perin	quid dy wo	stoo eight disc	ls, pr com	esen pare uati	ce ared to on of	nd se IBW, cort	verit hem icost	y of natoc eroic	rit,	
				Y	'es 🗌] No																		
(Fo	rm d	cont	inu	ed on	next	page	r.)																	

MolinaHealthcare.com

Men	nber	's La	st N	ame	:				Men	ıber'	s Fir	st Na	me:				

*Definitive diagnosis of MS with a relapsing-remitting course is based upon <u>BOTH</u> dissemination in time and space. Unless contraindicated, MRI should be obtained (even if criteria are met).

<u>Dissemination in time</u> (Development/appearance of new CNS lesions over time)	<u>Dissemination in space</u> (Development of lesions in distinct anatomical
≥ 2 clinical attacks; OR 1 clinical attack <u>AND</u> one of the following:	 ≥ 2 lesions; 1 lesion AND one of the following: Clear-cut historical evidence of a previous attack involving a lesion in a distinct anatomical location MRI indicating ≥ 1 T2-hyperintense lesions characteristic of MS in ≥ 2 of 4 areas of the CNS (periventricular, r juxtacortical, infratentorial, or spinal cord)

**Active secondary progressive MS (SPMS) is defined as the following:

- Expanded Disability Status Scale (EDSS) score ≥ 3.0; AND
- Disease is progressive ≥ 3 months following an initial relapsing-remitting course (i.e., EDSS score increase by 1.0 in members with EDSS ≤5.5 or increase by 0.5 in members with EDSS ≥6); AND
 - o ≥ 1 relapse within the previous 2 years; **OR**
 - Member has gadolinium-enhancing activity OR new or unequivocally enlarging T2 contrastenhancing lesions as evidenced by MRI

***Definitive diagnosis of CIS is based upon ALL of the following:

- A monophasic clinical episode with member-reported symptoms and objective findings reflecting a focal or multifocal inflammatory demyelinating event in the CNS
- Neurologic symptom duration of at least 24 hours, with or without recovery
- Absence of fever or infection
- Member is not known to have multiple sclerosis

(Form continued on next page.)

MolinaHealthcare.com

The Collection of the contraction of the contraction of the collection of the collec	em	bei	r's La	ast N	lame	:								Mer	nber	's Fii	st N	ame:	:				
 following: 1 year of disability progression independent of clinical relapse; AND TWO of the following: ≥ 1 T2-hyperintense lesion characteristic of MS in one or more of the following regions of the CNS: periventricular, cortical or juxtacortical, or infratentorial ≥ 2 T2-hyperintense lesions in the spinal cord 																							
 following: 1 year of disability progression independent of clinical relapse; AND TWO of the following: ≥ 1 T2-hyperintense lesion characteristic of MS in one or more of the following regions of the CNS: periventricular, cortical or juxtacortical, or infratentorial ≥ 2 T2-hyperintense lesions in the spinal cord 	•		•							•													
 <u>TWO</u> of the following: ≥ 1 T2-hyperintense lesion characteristic of MS in one or more of the following regions of the CNS: periventricular, cortical or juxtacortical, or infratentorial ≥ 2 T2-hyperintense lesions in the spinal cord 	:					iagn	osis	of M	IS wi	ith a	prir	mary	pro	ogre	ssive	cou	rse is	bas	ed u	pon t	he		
 ≥ 1 T2-hyperintense lesion characteristic of MS in one or more of the following regions of the CNS: periventricular, cortical or juxtacortical, or infratentorial ≥ 2 T2-hyperintense lesions in the spinal cord 	•	1 y	/ear	of di	isabil	ity p	rogr	essic	n in	dep	ende	ent o	f cli	nica	l rela	ıpse;	AND)					
of the CNS: periventricular, cortical or juxtacortical, or infratentorial	•	<u>TV</u>	<u>VO</u> c	of the	e foll	owin	g:																
		0																	e foll	owin	g reg	ions	
Presence of CSF-specific oligoclonal bands		0	≥ 2	: T2-ł	туре	rinte	nse	lesio	ns ir	the	spir	nal co	ord										
		0	Pre	esend	ce of	CSF-	spec	ific o	oligo	clon	al ba	ands											
																			Da	ate			

Prescriber Signature (Required)

By signature, the physician confirms the above information is accurate and verifiable by member records.

Please include ALL requested information; Incomplete forms will delay the SA process.

Submission of documentation does NOT guarantee coverage by Molina Healthcare.

The completed form may be: FAXED to (844) 278-5731, or you may call (800) 424-4518 (TTY: 711).

MolinaHealthcare.com